




The Leader of the stone engraving tools industry



In contrast, A series tools are sharper than B series. you could find another angle if you observe carefully and it will influence the effect of engraving

A series regular carbide engraving tools



Adopt the high performance alloy material, double angle design, very sharp and can be reprocessed easily!

Applications: bluestone, marble

Item No.	Diameter	Angle
A1	6mm	30°
A2	6mm	45°
A3	6mm	60°
A4	6mm	75°
A5	6mm	90°
A6	8mm	120°
A7	8mm	90°



The Leader of the stone engraving tools industry



B series tools have the standard angle which can achieve the fine engraving

B series standard carbide engraving tools



Adopt the high performance alloy material, sandard angle design, sharp and can achieve the fine engraving

Applications: bluestone, marble

Item No.	Diameter	Angle
B1	6mm	30°
B2	6mm	45°
B3	6mm	60°
B4	6mm	75°
B5	6mm	90°
B6	8mm	120°
B7	8mm	90°



The Leader of the stone engraving tools industry

Vacuum brazed!





C series vacuum brazed diamond engraving tools



Adopt the high technology of vacuum brazing, characterized by sharp cutting, high efficiency, good wearing resistance, it's the preferred tool for relief, milling and cutting, and also for engraving letters.


Applications: Marble, Bluestone, Sandstone

Picture	Item No.	Shk	Tip	Cel	Ovl
<p>Conical Head Type</p>	CZ6.(1.5)-6	6mm	1.5mm	6mm	60mm
	CZ6.2-6	6mm	2mm	6mm	60mm
	CZ6.2-12	6mm	2mm	12mm	60mm
	CZ6.3-6	6mm	3mm	6mm	60mm
	CZ6.3-12	6mm	3mm	12mm	60mm
	CZ6.3-20	6mm	3mm	20mm	60mm
	CZ8.3-20	8mm	3mm	20mm	60mm
	CZ8.4-20	8mm	4mm	20mm	60mm
	CZ8.5-20	8mm	5mm	20mm	60mm
	CZ8.6-20	8mm	6mm	20mm	60mm
	CZ8.3-30	8mm	3mm	30mm	90mm
	CZ8.4-30	8mm	4mm	30mm	90mm
	CZ8.5-30	8mm	5mm	30mm	90mm
	CZ8.6-30	8mm	6mm	30mm	90mm
	CZ10.3-30	10mm	3mm	30mm	90mm
	CZ10.4-30	10mm	4mm	30mm	90mm
	CZ10.5-30	10mm	5mm	30mm	90mm
	CZ10.6-30	10mm	6mm	30mm	90mm
	CZ10.8-30	10mm	8mm	30mm	90mm
	CZ10.3-40	10mm	3mm	40mm	90mm
	CZ10.4-40	10mm	4mm	40mm	90mm
	CZ10.6-40	10mm	6mm	40mm	90mm
	CZ10.3-50	10mm	3mm	50mm	90mm
	CZ10.4-50	10mm	4mm	50mm	90mm
	CZ10.5-50	10mm	5mm	50mm	90mm
	CZ10.6-50	10mm	6mm	50mm	90mm
	CZ10.8-50	10mm	8mm	50mm	90mm
	CZ12.3-40	12mm	3mm	40mm	90mm
	CZ12.3-50	12mm	3mm	50mm	90mm
	CZ12.4-40	12mm	4mm	40mm	90mm
CZ12.4-50	12mm	4mm	50mm	90mm	
CZ12.6-40	12mm	6mm	40mm	90mm	
CZ12.6-50	12mm	6mm	50mm	90mm	

Picture	Item No.	Shk	Tip	Cel	Ovl
 <p>Conical Head Type (columnar relief)</p>	CZ10.3-60	10mm	3mm	60mm	120mm
	CZ10.4-60	10mm	4mm	60mm	120mm
	CZ10.6-60	10mm	6mm	60mm	120mm
	CZ10.3-80	10mm	3mm	80mm	120mm
	CZ10.4-80	10mm	4mm	80mm	120mm
	CZ10.6-80	10mm	6mm	80mm	120mm
	CZ10.3-100	10mm	3mm	100mm	160mm
	CZ10.4-100	10mm	4mm	100mm	160mm
	CZ10.6-100	10mm	6mm	100mm	160mm
	CZ12.3-80	12mm	3mm	80mm	120mm
	CZ12.3-100	12mm	3mm	100mm	160mm
	CZ12.4-60	12mm	4mm	60mm	120mm
	CZ12.4-80	12mm	4mm	80mm	120mm
	CZ12.4-100	12mm	4mm	100mm	160mm
	CZ12.6-60	12mm	6mm	60mm	120mm
	CZ12.6-80	12mm	6mm	80mm	120mm
	CZ12.6-100	12mm	6mm	100mm	160mm
	CZ12.6-120	12mm	6mm	120mm	180mm
	CZ16.6-100	16mm	6mm	100mm	180mm
	CZ16.6-120	16mm	6mm	120mm	180mm
	CZ16.6-150	16mm	6mm	150mm	230mm
	CZ16.8-100	16mm	8mm	100mm	180mm
	CZ16.8-120	16mm	8mm	120mm	180mm
CZ16.8-150	16mm	8mm	150mm	230mm	

Picture	Item No.	Shk	Ced	Cel	Ovl
 <p>Ball Head Type</p>	CQ6-12	6mm	6mm	12mm	60mm
	CQ6-20	6mm	6mm	20mm	90mm
	CQ8-12	8mm	8mm	12mm	60mm
	CQ8-20	8mm	8mm	20mm	90mm
	CQ8-30	8mm	8mm	30mm	90mm
	CQ10-12	10mm	10mm	12mm	60mm
	CQ10-20	10mm	10mm	20mm	90mm
	CQ12-12	12mm	12mm	12mm	60mm
	CQ10.11-12	10mm	11mm	12mm	120mm
	CQ10.11-20	10mm	11mm	20mm	120mm
	CQ12.13-12	12mm	13mm	12mm	120mm
	CQ12.13-20	12mm	13mm	20mm	120mm

Picture	Item No.	Shk	Ced	Cel	Ovl
 <p>Flat Head Type</p>	CP4-10	4mm	4mm	10mm	60mm
	CP6-6	6mm	6mm	6mm	60mm
	CP6-12	6mm	6mm	12mm	60mm
	CP6-20	6mm	6mm	20mm	90mm
	CP8-6	8mm	8mm	6mm	60mm
	CP8-12	8mm	8mm	12mm	60mm
	CP8-20	8mm	8mm	20mm	90mm
	CP8-30	8mm	8mm	30mm	90mm
	CP10-12	10mm	10mm	12mm	60mm
	CP10-20	10mm	10mm	20mm	90mm
	CP10-30	10mm	10mm	30mm	90mm
	CP12-12	12mm	12mm	12mm	60mm
	CP12-20	12mm	12mm	20mm	90mm
	CP10.11-12	10mm	11mm	12mm	120mm
	CP10.11-20	10mm	11mm	20mm	120mm
	CP12.13-12	12mm	13mm	12mm	120mm
	CP12.13-20	12mm	13mm	20mm	120mm
	CP12.13-30	12mm	13mm	30mm	120mm
	CP12.13-40	12mm	13mm	40mm	120mm
	CP12.13-60	12mm	13mm	60mm	120mm
CP16.17-20	16mm	17mm	20mm	180mm	
 <p>Flat Head With Groove Type</p>	CPC6-12	6mm	6mm	12mm	60mm
	CPC8-12	8mm	8mm	12mm	60mm
	CPC10-12	10mm	10mm	12mm	60mm
	CPC12-12	12mm	12mm	12mm	60mm

Picture	Item No.	Shk	Tip/Ced	Cel	Angle
 <p>3D Mushroom-Shaped Head</p>	CM8-60	8mm	3/8mm	5mm	60°
	CM8-90	8mm	3/8mm	4mm	90°
	CM6.10-60	6mm	3/10mm	7mm	60°
	CM6.10-90	6mm	3/10mm	4mm	90°
	CM8.20-60	8mm	3/20mm	14mm	60°
	CM8.20-90	8mm	3/20mm	10mm	90°
	CM8.20-120	8mm	3/20mm	6mm	120°



The Leader of the stone engraving tools industry

Shank is made of high quality steel alloy and has good anti-break Performance!




F series sintered engraving tools


F series use the latest developed sintering formula, Compared with the original sintered tools, now our sintered tools have a qualitative improvement and show better wear resistance on granite.

Applications: Granite

<p>Flat</p>	Item No.	Shk	Ced	Cel	Ovl
	FP6-15	6mm	6mm	15mm	65mm
	FP8-20	8mm	8mm	20mm	70mm
	FP10-20	10mm	10mm	20mm	70mm
	FP10-20	10mm	10mm	20mm	120mm
	FP10-30	10mm	10mm	30mm	80mm
	FP12-20	12mm	12mm	20mm	70mm

<p>ballnose</p>	Item No.	Shk	Ced	Cel	Ovl
	FQ6-15	6mm	6mm	15mm	65mm
	FQ8-20	8mm	8mm	20mm	70mm
	FQ10-20	10mm	10mm	20mm	70mm
	FQ10-20	10mm	10mm	20mm	120mm

 <p>Flat with groove</p>	Item No.	Shk	Ced	Cel	Ovl
	FPC6-15	6mm	6mm	15mm	65mm
	FPC8-15	8mm	8mm	15mm	65mm
	FPC8-15	8mm	8mm	15mm	100mm
	FPC10-15	10mm	10mm	15mm	65mm
	FPC10-15	10mm	10mm	15mm	120mm
	FPC10-20	10mm	10mm	20mm	70mm
	FPC10-20	10mm	10mm	20mm	120mm

 <p>Conical Head</p>	Item No.	Shk	Tip	Cel	Ovl
	FZ6.3P-15	6mm	3mm	15mm	65mm
	FZ6.4P-20	6mm	4mm	20mm	70mm
	FZ8.4P-25	8mm	4mm	25mm	75mm
	FZ10.6P-30	10mm	6mm	30mm	80mm
	FZ6.3-20	6mm	3mm	20mm	70mm
	FZ8.3-25	8mm	3mm	25mm	75mm
	FZ8.4-25	8mm	4mm	25mm	75mm
	FZ8.6-25	8mm	6mm	25mm	75mm
	FZ10.4-30	10mm	4mm	30mm	80mm
	FZ10.6-30	10mm	6mm	30mm	80mm
	FZ10.6-30	10mm	6mm	30mm	120mm
	FZ10.8-30	10mm	8mm	30mm	80mm
	FZ12.6-30	12mm	6mm	30mm	80mm
	FZ12.8-30	12mm	8mm	30mm	80mm
FZ12.6-40	12mm	6mm	40mm	90mm	
FZ12.6-50	12mm	6mm	50mm	100mm	




The Leader of the stone engraving tools industry



D series vacuum brazed engraving tools

D series is our newest product for relief/3D relief on granite.

Applications: Granite

 <p>Conical Head Type</p>	Item No	Shk	Tip	Cel	Ovl
	DZ8.4-30	8mm	4mm	30mm	90mm
	DZ10.4-30	10mm	4mm	30mm	90mm
	DZ10.6-30	10mm	6mm	30mm	90mm
	DZ12.6-30	12mm	6mm	30mm	90mm
	DZ12.8-30	12mm	8mm	30mm	90mm
	DZ12.6-40	12mm	6mm	40mm	90mm
	DZ12.4-50	12mm	4mm	50mm	90mm
	DZ12.6-50	12mm	6mm	50mm	90mm
	DZ12.6-60	12mm	6mm	60mm	120mm
	DZ12.6-80	12mm	6mm	80mm	120mm
	DZ12.4-100	12mm	4mm	100mm	160mm
	DZ12.6-100	12mm	6mm	100mm	160mm
	DZ16.6-120	16mm	6mm	120mm	180mm
	DZ16.8-120	16mm	8mm	120mm	180mm
DZ16.6-150	16mm	6mm	150mm	230mm	
DZ16.8-150	16mm	8mm	150mm	230mm	




The Leader of the stone engraving tools industry

Precision weld, Firmly weld, keen edge!
Reality is honesty!



E series PCD engraving tools



Maily used for engraving small words on bluestone, granite ,characterized by sharp cutting,high hardness,good engraving effect,etc.

Applications: bulestone, granite

Item No.	Diameter	Angle	Tip
E45-0.2	6mm	45°	0.2mm
E45-0.4	6mm	45°	0.4mm
E60-0.2	6mm	60°	0.2mm
E70-0.2	6mm	70°	0.2mm
E70-0.4	6mm	70°	0.4mm
E70-0.7	6mm	70°	0.7mm
E70-1.0	6mm	70°	1.0mm
E70-1.2	6mm	70°	1.2mm
E70-1.5	6mm	70°	1.5mm
E70-2.0	6mm	70°	2.0mm
E90-0.2	6mm	90°	0.2mm
E90-0.4	6mm	90°	0.4mm
E90-0.7	6mm	90°	0.7mm
E90-1.0	6mm	90°	1.0mm
E90-1.2	6mm	90°	1.2mm
E90-1.5	6mm	90°	1.5mm
E90-2.0	6mm	90°	2.0mm
E120-0.4	6mm	120°	0.4mm



LOXA

The Leader of the stone engraving tools industry

*Precision weld, Firmly weld, keen edge!
Reality is honesty!*



Item No.	Diameter	Angle	Tip
E70-0.4(10)	10mm	70°	0.4mm
E90-0.4(10)	10mm	90°	0.4mm
E105-0.4(10)	10mm	105°	0.4mm
E120-0.4(10)	10mm	120°	0.4mm
E70-0.2(10)	10mm	70°	0.2mm
E90-0.2(10)	10mm	90°	0.2mm
E105-0.2(10)	10mm	105°	0.2mm
E70-0.7(10)	10mm	70°	0.7mm
E90-0.7(10)	10mm	90°	0.7mm



The Leader of the stone engraving tools industry

G series engraving tools: The best choice for beginners



Item No.	Diameter	Angle	Tip
G90-0.4	6mm	90°	0.4mm
G90-0.7	6mm	90°	0.7mm
G90-1.0	6mm	90°	1.0mm
G70-0.4	6mm	70°	0.4mm
G70-0.7	6mm	70°	0.7mm
G70-1.0	6mm	70°	1.0mm



The Leader of the stone engraving tools industry

Nut and Collet



Warm Tips: we provide the high quality accessory for your convenience, all the accessory are full complied with national standards, please rest assured to buy!

Accessory	Item No.	Internal Diameter	Spindle power
Spindle Nut	ER20A	/	3KW
	ER25A	/	4.5KW,5.5KW
	ER25UM	/	4.5KW,5.5KW
	ER32A	/	7.5KW
Collet ER20	ER20-4	4mm	3KW
	ER20-6	6mm	3KW
	ER20-8	8mm	3KW
	ER20-10	10mm	3KW
	ER20-12	12mm	3KW
Collet ER25	ER25-4	4mm	4.5KW,5.5KW
	ER25-6	6mm	4.5KW,5.5KW
	ER25-8	8mm	4.5KW,5.5KW
	ER25-10	10mm	4.5KW,5.5KW
	ER25-12	12mm	4.5KW,5.5KW
	ER25-16	16mm	4.5KW,5.5KW
Collet ER32	ER32-6	6mm	7.5KW
	ER32-8	8mm	7.5KW
	ER32-10	10mm	7.5KW
	ER32-12	12mm	7.5KW
	ER32-16	16mm	7.5KW